

IBIS Quality 3.0 checklist spreadsheet

Weston Beal – Siemens EDA

DesignCon 2024 Hybrid IBIS Summit

Santa Clara, CA

February 2, 2024



IBIS Quality Specification

- The purpose of the IBIS Quality Specification is to provide a methodology for validating model data against the IBIS Specification and a means of objective measures of correlating model simulation results with measurements or other model simulations
- By providing standards for validating, correlating, and replicating simulation results we seek to enhance the value of modeling and simulation

IBIS Quality Version 1.0 (Basic Checks)

- IBIS Quality version 1.0 covers only the basic checks and does not address the newer features added later in the IBIS Specification
 - IQ0 – Can be checked by IBISCHK, plus a few others
 - IQ1 – Correctness, completeness, and simulation checks
 - IQ2a – Simulation correlated
 - IQ2b – Bench measurement correlated
 - IQ3 – Simulation and measurement correlated

IBIS Quality Version 2.0 (Advanced Checks)

- IBIS Quality version 2.0 covers the items necessary to check the models based on the latest IBIS specification and adds stringent requirements to achieve certain IQ levels
 - IQ0 – No IQ checking at all
 - IQ1 – Passes IBISCHK without Errors or unexplained Warnings
 - IQ2 – IQ1 + data for basic simulation checked
 - IQ3 – IQ2 + data for timing analysis checked
 - IQ4 declared but not defined
 - Extension M – correlated against hardware measurements
 - Extension S – correlated against simulation
 - Extension G – golden waveforms included
 - Extension X – exception(s) to check(s) commented in file

IBIS Quality Version 2.0 (Advanced Checks)

- IBIS Quality version 2.0 covers the items necessary to check the models based on the latest IBIS specification and adds stringent requirements to achieve certain IQ levels
 - IQ0 – No IQ checking at all
 - IQ1 – Passes IBISCHK without Errors or unexplained Warnings
 - IQ2 – IQ1 + data for basic simulation checked
 - IQ3 – IQ2 + data for timing analysis checked
 - **IQ4 = IQ3 + data for power-aware analysis checked**
- **modifiers (additional slide)**
 - Extension M – correlated against hardware measurements
 - Extension S – correlated against simulation
 - Extension G – golden waveforms included
 - Extension X – exception(s) to check(s) commented in file

Quality Level Modifiers

- A quality level might have one or more letters after the number
- Any combination of letter extensions can be added after the quality level number, such as, IQ3MS

- X – Exceptions
- S – Simulation Correlated
- M – Measurement Correlated
- G – Contains Golden Waveforms

IBIS Quality Checklist version 3.0

- Is a spreadsheet file
- Filename - `ibis_quality_3.0_checklist_auto.xlsx`
- Provides a general guideline on validating the quality of the IBIS file
- Documents the results of the quality check based on the IBIS Quality specification version 3.0

Using the IBIS Quality Checklist

- To use the IBIS Quality checklist one needs:
 - IBIS file to check
 - IBIS Quality Specification
 - IBIS Quality checklist spreadsheet
 - Latest IBISCHK parser
 - IBIS File Viewer that displays I-V and V-T curves (helpful)
- IBIS Quality Specification and Checklist can be downloaded from the Quality subcommittee webpage

https://ibis.org/quality_ver3.0/

Start With Blank IQ checklist

The screenshot shows the Microsoft Excel interface with the following details:

- File Name:** ibis_quality_3.0_checklist_auto.xlsx
- Ribbon:** Home
- Font:** Calibri, Size 11
- Clipboard:** Paste, Copy, Undo, Redo
- Alignment:** Center, Left, Right, Justify, Indent, Decrease Indent, Increase Indent
- Number:** General, Currency (\$), Percentage (%), Comma Separator (,)

The spreadsheet content is as follows:

	A	B	C	D
1	IQ	This checklist will help document the quality of an IBIS file.		
2	IQ	Copy the component and Model tabs below so that this workbook contains one		
3	IQ	tab for each [Component] and [Model]. Fill in the pass/fail choices for each		
4	IQ	check item. The sheet will determine the quality level for each [Component]		
5	IQ	or [Model]. Manually complete the summary of IQ levels below to determine the		
6	IQ	overall IQ level of the IBIS file. For more information check the IBIS		
7	IQ	Quality Specification.		
8	IQ			
9	IQ	Vendor		
10	IQ	IBIS File		
11	IQ	Rev		
12	IQ	Date		
13	IQ	Overall IBIS Quality	LEVEL	---
14	IQ			

Fill in the IBIS File Information

IQ	Quality Specification.	
IQ		
IQ	Vendor	Nebulocity
IQ	IBIS File	big_ic.ibs
IQ	Rev	1.0
IQ	Date	November 11, 2023
IQ	Overall IBIS Quality	LEVEL ---
IQ		
IQ		

Run the IBISCHK Parser on the IBIS File

```
Command Prompt
C:\Users\webeal\Documents\ibis_quality\checklist>ibischk big_ic.ibs
IBISCHK7 V7.2.0

Checking big_ic.ibs for IBIS 7.1 Compatibility...

ERROR (line 2) -
  File name opened 'big_ic.ibs' not the same as File_name 'bird200.ibs'.
ERROR (line 38) -
  Incorrect Number of Line Items (2) For C_comp_model: Expecting 1
ERROR (line 39) - Could not parse 'C_comp_model_mode' line
ERROR (line 40) - Could not parse 'C_comp_model_mode' line
ERROR (line 43) - Could not parse 'File_IBIS-ISS' line
ERROR (line 44) - Could not parse 'File_IBIS-ISS' line
ERROR (line 47) - Could not parse 'File_IBIS-ISS' line
ERROR (line 50) - File 'bird200.iss' does not exist
ERROR (line 51) - Min corner has already been defined for File_IBIS-ISS
ERROR (line 54) - Could not parse 'File_TS' line
ERROR (line 55) - Could not parse 'File_TS' line
ERROR (line 56) - Could not parse 'File_TS' line
ERROR (line 57) - Could not parse 'File_TS' line
ERROR (line 58) -
  File_TS cannot be specified when File_IBIS-ISS is already specified
  Could not parse 'Param'

Model ODummy [C Comp Model] for Node
ERROR - Model ODummy Terminal 4 is not defined in [C Comp Model] defined on line 204
ERROR - Model ODummy The last terminal 5 cannot be of type Buffer_I/O or Buffer_I for
File_TS in [C Comp Model] defined on line 204

Errors : 74
Warnings: 5


File Failed

C:\Users\webeal\Documents\ibis_quality\checklist>
```

Fill in the IBISCHK results in the IQ Spreadsheet

IBISCHK Parser Information				
Version		V7.2.0		
Errors		74		
Warnings		5		
Caution		0		
Notes		0		

Summary of IBIS Check				
File Header				
In column Pass/Fail below mark the IBISCHK item PASS, FAIL, or EXCEPTION.				
The IQ level is the highest level number for which all checks PASS.				
The IQ level is FAIL if no level completely passes.				
See IBIS Quality Specification for complete descriptions of the checks.				
IQ Spec Reference	IQ LEVEL	Description	PASS/FAIL	Comments
2.1	LEVEL 0	IBIS file passes IBISCHK	FAIL	This example file is intended to show syntax errors related to referencing Touchstone files.





select the applicable result from the drop-down list

refer to section 2.1 of the IBIS Quality specification

add comments to explain warnings or cautions found by IBISCHK. Errors are not permitted

IBIS Components Sheets

Make a copy of the components() sheet for each [Component] in the file being checked



enable checkbox to copy the sheet!

[Component] Checks

1. fill in the component label

COMPONENT(S):				
IQ Level:	LEVEL 1			
Exception:				
Correlation:				
<p>In column Pass/Fail below mark each item PASS, FAIL, NA or EXCEPTION. The IQ level above is automatically calculated as the highest level number for which all checks PASS or are NA or EXCEPTION. The IQ level is LEVEL 1 if no level completely passes. See IBIS Quality Specification for complete descriptions of the checks.</p>				
IQ Spec Reference	IQ LEVEL	Description	PASS/FAIL	Comments
3.1.1	LEVEL 2	[Package] must have typ/min/max values	---	
3.1.2	LEVEL 2	[Package] parasitics must be reasonable	---	
3.1.3	LEVEL 4	Package model includes power and ground pins	PASS	
3.1.4	LEVEL 4	On-die and on-package decoupling included	FAIL	
3.2.1	LEVEL 2	[Pin] section complete	NA	
3.2.2	LEVEL 2	[Pin] parasitics must be reasonable	EXCEPTION	

4. the IQ Level is calculated automatically from the PASS/FAIL column data

2. for each item in the checklist select the result from the drop-down list

3. add comments as appropriate

[Model Selector] Checks

no need to copy the model_selector sheet

1. fill in the list of model selector labels

2. for each item in the checklist select the result from the drop-down list


4. the IQ Level is calculated automatically from the PASS/FAIL column data

IQ	MODEL SELECTORS:			
IQ	IQ Level:	LEVEL 1		
IQ	Exception:			
IQ	Correlation:			
IQ				
IQ				
IQ	In column Pass/Fail below mark each item PASS, FAIL, NA or EXCEPTION.			
IQ	The IQ level above is automatically calculated as the highest level number for which all checks PASS or are NA or EXCEPTION.			
IQ	The IQ level is LEVEL 1 if no level completely passes.			
IQ	See IBIS Quality Specification for complete descriptions of the checks.			
IQ				
IQ				
IQ	IQ Spec Reference	IQ LEVEL	Description	PASS/FAIL
IQ	4.1	LEVEL 2	[Model Selector] entries have reasonable descriptions	---
IQ	4.2	LEVEL 2	Default [Model Selector] entries are consistent	---

3. add comments as appropriate

IBIS Models Sheets

Make a copy of the models() sheet for each [Model] in the file being checked



23	IQ	5.2.5	LEVEL 2	[Model Spec] S_C
24	IQ	5.2.6	LEVEL 2	[Model Spec] S_C
25	IQ	5.2.7	LEVEL 2	[Model Spec] S_C

summary | components | **models()**

[Model] Checks

1. fill in the model label

MODEL(S):	DQ_ODT48
IQ Level:	LEVEL 2
Exception:	
Correlation:	

2. for each item in the checklist select the result from the drop-down list


In column **Pass/Fail** below mark each item PASS, FAIL, NA or EXCEPTION.
 The IQ level above is automatically calculated as the highest level number for which all checks PASS or are NA or EXCEPTION.
 The IQ level is LEVEL 1 if no level completely passes.
 See IBIS Quality Specification for complete descriptions of the checks.

4. the IQ Level is calculated automatically from the PASS/FAIL column data

IQ Spec Reference	IQ LEVEL	Description	PASS/FAIL	Comments
5.1.1	LEVEL 2	[Model] parameters have correct typ/min/max order	PASS	
5.1.2	LEVEL 2	[Model] C_comp is reasonable	PASS	
5.1.3	LEVEL 2	[Temperature Range] is reasonable	PASS	
5.1.4	LEVEL 2	[Voltage Range] or [* Reference] is reasonable	PASS	
5.2.1	LEVEL 3	[Model] Vinl and Vinh reasonable	...	
5.2.2	LEVEL 3	[Model Spec] Vinl and Vinh reasonable	PASS	
5.2.3	LEVEL 3	[Model Spec] Vinl+/- and Vinh+/- complete and reasonable	FAIL	
5.2.5	LEVEL 2	[Model Spec] S_Overshoot subparameters complete and match data	NA	
5.2.6	LEVEL 2	[Model Spec] S_Overshoot subparameters track typ/min/max	EXCEPTION	
5.2.7	LEVEL 2	[Model Spec] S_Overshoot subparameters track typ/min/max	PASS	


3. add comments as appropriate

Some Checks Require a Curve Viewer



5.8.3 {LEVEL 4} [Composite Current] waveforms must be time-aligned with corresponding V-T waveforms


Most SI tools that use IBIS models have a way to view the tables as curves



5.3.14 {LEVEL 2} Point distributions in I-V tables should be sufficient

5.7.3 {LEVEL 4} ISSO tables have sufficient point distribution

5.4.2 {LEVEL 2} V-T tables have reasonable point distribution



Summarize Model and Component IQ Checks in Summary Sheet

File Header				
In column Pass/Fail below mark the IBISCHK item PASS, FAIL, or EXCEPTION.				
The IQ level is the highest level number for which all checks PASS.				
The IQ level is FAIL if no level completely passes.				
See IBIS Quality Specification for complete descriptions of the checks.				
IQ Spec Reference	IQ LEVEL	Description	PASS/FAIL	Comments
3.0	LEVEL 1	IBIS file passes IBISCHK	PASS	
Components				
Component	IQ LEVEL	Comments		
Component1	---			
Component2	---			
Component3	---			
Models				
Models	IQ LEVEL	Comments		
Model1	---			
Model2	---			
Model3	---			

summary components() models() +

1. copy the component and model names into the summary list adding or deleting rows as needed

2. for each component and model, copy the IQ LEVEL from the sheet and select the level from the drop-down list

automating this step requires a script macro in Excel which might present a security risk

Summarize Overall IQ Checks in Summary Sheet

Vendor	
IBIS File	
Rev	
Date	
Overall IBIS Quality	LEVEL ---

	0
	1
IBISCHK Parser Informa	2
Version	3
Errors	4
Warnings	1X
Caution	2X
Notes	

select the overall file IQ Level with applied modifiers

this step is not automated since modifiers cannot be determined programmatically

Summary of IBIS Check

File Header

In column **Pass/Fail** below mark the IBISCHK item PASS, FAIL, or EXCEPTION.
 The IQ level is the highest level number for which all checks PASS.
 The IQ level is FAIL if no level completely passes.
 See IBIS Quality Specification for complete descriptions of the checks.

IQ Spec Reference	IQ LEVEL	Description
3.0	LEVEL 1	IBIS file passes IBISCHK


the file IQ Level is the lowest level found in this column of the summary

Components

Component	IQ LEVEL	Comments
Component1	---	
Component2	---	
Component3	---	

Report

- Save as PDF
- Copy checklist result into the IBIS file



7	IQ	Quality Specification.	
8	IQ		
9	IQ	Vendor	
10	IQ	IBIS File	
11	IQ	Rev	
12	IQ	Date	
13	IQ	Overall IBIS Quality	LEVEL ---
14	IQ		

all lines in the checklist sheets begin with “|IQ” so you can cut and paste the text into the IBIS file

Conclusions

- Summary sheet can be copied into the IBIS file or other quality documents
- A detailed correlation report can be provided in addition to the IQ checklist to verify “S” and “M” correlation designators in overall IQ levels
- IBIS models for modern technology are becoming more and more complex
- The IBIS Quality Specification and the IQ checklist can help to verify the accuracy of the models for the SI engineers

Keep asking for models with an IQ Checklist!