

Point Reduction Method for IBIS Curves

Lance Wang

lwang@iometh.com

Asian (China) IBIS Summit

Taipei, Nov. 12, 2010



(Presented previously at the IBIS Summit on November 9, 2010)

Outline

- Point Reduction Introduction
- “Greatest Change” method
- Issue with “Greatest Change” method for IBIS curve representation
- The “Weighted Best Point” (WBP) method
- Conclusions

Point Reduction Introduction

- What is Point Reduction method for?
 - In some situations, a set of data (e.g. waveform) can not satisfy a specification (e.g. IBIS) data limit without sacrifice of its accuracy. For an example, 10,000 extracted I-V curve data points for only 100 point limit in IBIS specification.
 - Point Reduction method intends to use algorithms for proper point number reduction with minimum sacrifices on its accuracy. It is about accurate representation of whole data set with limited data points
- IBIS Cookbook introduces two methods:
 - Points selected using a regular interval
 - Points selected using “greatest change” algorithm

Point Reduction Introduction

5.3 Data Limiting

The IBIS version 2.1 through 3.2 specifications limit V-T tables to 100 points or rows of data total, for each corner, for the [Rising Waveform] and [Falling Waveform] keywords. This limit was extended to 1000 points in IBIS version 4.0. Similarly, I-V table tables are also limited to 100 points total, for each corner, for the [Pullup], [Pulldown], [POWER Clamp], and [GND Clamp] keywords.

These limitations mean that some sort of algorithm must be used to select which points from the raw data file are used in the final IBIS model, should the data file contain more points than the limit.

- Points selected using a regular interval
- Points selected using “greatest change” algorithm

The first of these simply selects data points at regular intervals from the raw data set. For example, if the raw data set contains 200 points, from 0 ns to 19 ns, the sequence would then be 0 ns, 2 ns, 4 ns, 6 ns, 8 ns, 10 ns, 12 ns, 14 ns, 16 ns, 18 ns, 19 ns.

While this method is simple to implement, it does not take into account the fact that some areas of the data set are more important than others. If a V-T table has settled by the 50th ns and added to the IBIS file, though the voltage information is not yet stable, the data points are not representative of the final state of the signal.

IBIS Open Forum

IBIS M

This is remedied by use of a “greatest change” algorithm, where each data point is added to the final IBIS table based on the degree of difference between it and surrounding points. In this way, more points in the final IBIS file will be expended on areas of the tables where large changes take place, such as inflections. Few points will be used on areas where the output does not change, such as the settled voltages before and after a V-T transition.

An example is shown in Figure 5.13 below. Note that “flat” or unchanging areas of the graph use few points, while curves and other rapidly changing features are represented with more points.





Figure 5.13 - Data Point Selection Example

From IBIS Cookbook

Points selected using “a regular interval” – even spacing




Copyright © 2006-2010
IO Methodology Inc.

5

Points selected using “greatest change” algorithm

- Draw a line between the first and the last points; find the greatest difference (Y-axis) point between these two curves; add the third point there.

How it works?




Copyright © 2006-2010
IO Methodology Inc.

6

Points selected using “greatest change” algorithm

- Find next the greatest difference (Y-axle) and add 4th point

How it works?




Copyright © 2006-2010
IO Methodology Inc.

7

Points selected using “greatest change” algorithm

- Find next the greatest differences (Y-axle) and add 5th and 6th point

How it works?




Copyright © 2006-2010
IO Methodology Inc.

8

Points selected using "greatest change" algorithm

- And so on ...

How it works?




Copyright © 2006-2010
IO Methodology Inc.

9

Comparing two methods with Golden curve

- Golden curve
- Using "a regular interval" method – 12 points
- Using "Greatest Change" method – 6 points
- Using "Greatest Change" method – 12 points




Copyright © 2006-2010
IO Methodology Inc.

10

Comparing two methods with Golden curve

- Golden curve
- Using "a regular interval" method – 12 points
- Using "Greatest Change" method – 6 points
- Using "Greatest Change" method – 12 points



Copyright © 2006-2010
IO Methodology Inc.

11

Comparing two methods with Golden curve

- We got:
 - "a regular interval" method – even spacing
 - Simple and easy
 - Lack on the details
 - Accuracy is highly depended on space/point numbers
 - "greatest change algorithm" method
 - Higher accuracy on average
 - Good on the details
 - May have "too few" points in the certain areas and it could compacts the results of simulations

Copyright © 2006-2010
IO Methodology Inc.

12


Issue with “Greatest Change” method for IBIS curve representation

- The most of IBIS generation tools are using “Greatest Change” algorithm (so called “Best Point” too) now.
- It works fine with IBIS VT curve point reduction
 - The big part of reason is that VT curves are co-factor in simulation calculations. More details are better.
- Sometimes it causes inaccurate simulation result due to too few points in the working range in the IV curves

Copyright © 2006-2010
IO Methodology Inc.

13


A test case for the curves using “the greatest change” algorithm method



Copyright © 2006-2010
IO Methodology Inc.

14


A test case for the curves using “the greatest change” algorithm method




Copyright © 2006-2010
IO Methodology Inc.

15

The Weighted Best Point (WBP) method




- WBP method is a combination of “regular interval” and “greatest change” methods with more focuses on working range
 - Using “regular interval” for Area 3 (working range)
 - Using dedicated number of points with “greatest change” method for Area 3, 2 and 4 (detailed areas)
 - Using “greatest change” method for all areas.



Copyright © 2006-2010
IO Methodology Inc.

16

Test result with WBP processed IBIS model



Copyright © 2006-2010
IO Methodology Inc.

17

Conclusion

- Point Reduction method is needed for buffer I-V and V-T curve representations in IBIS format
- Both “Regular Interval” and “Greatest Change” algorithm methods have strong and weak areas
- WBP method combined both methods with focused areas. It improves the accuracy in IBIS simulations.
 - It is more effective for low-level signal buffer models

Copyright © 2006-2010
IO Methodology Inc.

18

THE MODELING SPECIALIST



We care about accuracy!